Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2008 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Accuracy

New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).

Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

GPS Processing Using Online Services — M. Tsakiri; 134 (4), 115-25 (2008).

Algorithms

Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Assessments

New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Computer software

Heuristic Weighting and Data Conditioning in the National Geodetic Survey Rapid Static GPS Software — Charles R. Schwarz; 134 (3), 76-82 (2008).

Curvature

Efficient Method for Estimating Globally Optimal Simple Vertical Curves — Said M. Easa; 134 (1), 33-7 (2008).

Data analysis

Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Data processing

Heuristic Weighting and Data Conditioning in the National Geodetic Survey Rapid Static GPS Software — Charles R. Schwarz; 134 (3), 76-82 (2008).

Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Databases

Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Datum

GPS Processing Using Online Services — M. Tsakiri; 134 (4), 115-25 (2008).

Deformation

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Displacement

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Earthquakes

Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Errors

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Estimation

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).

Experimentation

Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Geodetic surveys

Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Heuristic Weighting and Data Conditioning in the National Geodetic Survey Rapid Static GPS Software — Charles R. Schwarz; 134 (3), 76-82 (2008).

Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Continuously Operating Reference Station (CORS): History, Applications, and Future Enhancements — Richard A. Snay and Tomás Soler; 134 (4), 95-104 (2008).

GPS Processing Using Online Services — M. Tsakiri; 134 (4), 115-25 (2008).

Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).

Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Geographic information systems

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Geoid

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Global positioning

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Heuristic Weighting and Data Conditioning in the National Geodetic Survey Rapid Static GPS Software — Charles R. Schwarz; 134 (3), 76-82 (2008).

Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

GPS Processing Using Online Services — M. Tsakiri; 134 (4), 115-25 (2008).

Ground motion

Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

History

Continuously Operating Reference Station (CORS): History, Applications, and Future Enhancements — Richard A. Snay and Tomás Soler; 134 (4), 95-104 (2008).

Land surveys

Unified Direct Method for Land Subdivision: Circular Sides Permitted — Said M. Easa; 134 (2), 55-60 (2008).

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Least squares method

New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Mapping

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Mathematics

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Methodology

Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Unified Direct Method for Land Subdivision: Circular Sides Permitted — Said M. Easa; 134 (2), 55-60 (2008).

Networks

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Numerical analysis

Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).

Optimization

GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Efficient Method for Estimating Globally Optimal Simple Vertical Curves — Said M. Easa; 134 (1), 33-7 (2008).

Unified Direct Method for Land Subdivision: Circular Sides Permitted — Said M. Easa; 134 (2), 55-60 (2008).

Parameters

Efficient Method for Estimating Globally Optimal Simple Vertical Curves — Said M. Easa; 134 (1), 33-7 (2008).

Quality control

Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).

Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Refraction

Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

Reliability

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Robotics

Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Sampling

Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Satellites

Continuously Operating Reference Station (CORS): History, Applications, and Future Enhancements — Richard A. Snay and Tomás Soler; 134 (4), 95-104 (2008).

Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).

Simulation

Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

Spatial data

New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Standards and codes

Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).

Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Strain rate

Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Surveys

New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Efficient Method for Estimating Globally Optimal Simple Vertical Curves — Said M. Easa; 134 (1), 33-7 (2008).

Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).

Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Thailand

Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Velocity

Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Author Index

Ariza López, Francisco Javier
Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).
Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).
Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Atkinson Gordo, Alan David
Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).
Variability of NSSDA Estimations — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 39-44 (2008).
Analysis of Some Positional Accuracy Assessment Methodologies — Francisco Javier Ariza López and Alan David Atkinson Gordo; 134 (2), 45-54 (2008).

Baselga, Sergio
GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Cai, Jianqing
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Cannon, M. E.
Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Chen, Junping
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Easa, Said M.
Efficient Method for Estimating Globally Optimal Simple Vertical Curves — Said M. Easa; 134 (1), 33-7 (2008).
Unified Direct Method for Land Subdivision: Circular Sides Permitted — Said M. Easa; 134 (2), 55-60 (2008).

García-Asenjo, Luis
GNSS Differential Positioning by Robust Estimation — Sergio Baselga and Luis García-Asenjo; 134 (1), 21-5 (2008).

Grafarend, Erik
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Han, J. Y.
Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).

Heo, Joon
New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Hsu, Ronghin
Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Hu, Congwei
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).

Kao, Szu-Pyng
Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Kim, Jin Woo
New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Kilian, Nicole
Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

Kokkinou, E.
Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Lachapelle, G.
Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Lee, Hsu-Chih
Three-Dimensional Networks Are Horizontally Superior in Robustness: A Mathematical Reasoning — Ronghin Hsu, Hsu-Chih Lee, and Szu-Pyng Kao; 134 (2), 61-5 (2008).

Lyle, Stacey D.
Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Mongrédien, C.
Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Park, Ji Sang
New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).

Petrović, Svetozar
Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).

Promthong, Chaiwat
Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Psimoulis, P.
Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).

Rodríguez Avi, José
Acceptance Curves for the Positional Control of Geographic Databases — Francisco Javier Ariza López, Alan David Atkinson Gordo, and José Rodríguez Avi; 134 (1), 26-32 (2008).

Rolbiecki, David A.
Hybrid State Plane Coordinate System for Transforming a Citywide Survey Control Network to Surface Values: Case Study for Frisco, Texas — David A. Rolbiecki and Stacey D. Lyle; 134 (4), 105-14 (2008).

Satirapod, Chalermchon
Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).

Schleppe, J. B.
Efficient Dual-Frequency Ambiguity Resolution Algorithm for GPS-Based Attitude Determination — C. Mongrédien, J. B. Schleppe, G. Lachapelle, and M. E. Cannon; 134 (3), 67-75 (2008).

Schwarz, Charles R.
Heuristic Weighting and Data Conditioning in the National Geodetic Survey Rapid Static GPS Software — Charles R. Schwarz; 134 (3), 76-82 (2008).
Simons, Wim J. F.
Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS — Chalermchon Satirapod, Wim J. F. Simons, and Chaiwat Promthong; 134 (3), 83-8 (2008).
Snay, R. A.
Continuously Operating Reference Station (CORS): History, Applications, and Future Enhancements — Richard A. Snay and Tomás Soler; 134 (4), 95-104 (2008).
Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).
Sohn, Hong-Gyoo
New Line Accuracy Assessment Methodology Using Nonlinear Least-Squares Estimation — Joon Heo, Jin Woo Kim, Ji Sang Park, and Hong-Gyoo Sohn; 134 (1), 13-20 (2008).
Soler, Tomás
Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).
Continuously Operating Reference Station (CORS): History, Applications, and Future Enhancements — Richard A. Snay and Tomás Soler; 134 (4), 95-104 (2008).
Stiros, S.
Errors Introduced by Fluctuations in the Sampling Rate of Automatically Recording Instruments: Experimental and Theoretical Approach — S. Stiros, P. Psimoulis, and E. Kokkinou; 134 (3), 89-93 (2008).
Tsakiri, M.
GPS Processing Using Online Services — M. Tsakiri; 134 (4), 115-25 (2008).
Tsoulis, Dimitrios
Theoretical and Numerical Aspects of the Geodetic Method for Determining the Atmospheric Refraction Coefficient Using Simultaneous and Mutual Zenith Observations — Dimitrios Tsoulis, Svetozar Petrović, and Nicole Kilian; 134 (1), 3-12 (2008).
van Gelder, B. H. W.
Geometric Combination of Multiple Terrestrial Network Solutions — J. Y. Han, B. H. W. van Gelder, T. Soler, and R. A. Snay; 134 (4), 126-31 (2008).
Wang, Jiexian
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).
Wu, Jicang
Horizontal Deformation Rate Analysis Based on Multiepoch GPS Measurements in Shanghai — Jianqing Cai, Jiexian Wang, Jicang Wu, Congwei Hu, Erik Grafarend, and Junping Chen; 134 (4), 132-7 (2008).